

MOL Dynamic Prima 5W-40 synthetic motor oil

Viscosity grade: **SAE 5W-40**

Specifications

ACEA C3-08
ACEA A3/B4-04
Ford WSS M2C917-A
Fiat 9.55535-S2

Approvals

API SM/CF
VW 502 00/505 00
VW 505 01
MB-Approval 229.51
BMW Longlife-04
Porsche A40
Renault RN0700
Renault RN0710

API SM/CF




AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
 for the period beginning 8/1/2012 and ending 8/1/2013 are as follows:

API SERVICE SYMBOL



Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GOLD	5W-30	SL	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC MAX	10W-40	CJ-4/SL	
MOL DYNAMIC MAX	10W-40	SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC STAR	0W-30	SJ	
MOL DYNAMIC STAR	0W-40	SJ	
MOL DYNAMIC SUPER DIESEL	15W-40	SJ	
MOL DYNAMIC SYNT	5W-30	SL	Energy Conserving
MOL DYNAMIC SYNT	5W-30	SL	
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT DIESEL E4	10W-40	CI-4	
MOL DYNAMIC TRANSIT	10W-40	CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CH-4, CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CI-4/SL	
MOL ESSENCE	15W-40	SJ	

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs
 Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11.10 | 5M

Kevin Ferrick
 EOLCS Manager of Operations

Date: 8/15/2012

MOL Dynamic Prima 5W-40 synthetic motor oil

VW 502 00/505 00

VOLKSWAGEN AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

MOL-LUB Lubricant Production
Distribution and Service Ltd.
Herr András Péceli
Fő sreet 21

H-2931 Almásfűzítő

DK410000/K-233/2010
26.05.2010
SK 1437-pa-ca
9-73432
9-78095

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

15.06.2010 DATUM

Motoröl

Sehr geehrter Herr Péceli,

die Untersuchungen des Motorenöls

MOL Dynamic Prima SAE 5W-40

haben ergeben, daß das genannte Produkt sowohl die Anforderungen unserer VW-Norm 502 00, VW Norm 505 00 als auch der VW-Norm 505 01 erfüllt. Es ist damit für die Verwendung in unseren Otto- und Dieselmotoren einschließlich der Motoren mit Abgasturbolader gemäß den Angaben in den Betriebsanleitungen unserer Produkte geeignet.

Damit auch für Kunden und Werkstätten die Freigabe ersichtlich ist, sollten die Gebinde mit dem Vermerk

"freigegeben nach VW-Norm 502 00, VW-Norm 505 00 und VW-Norm 505 01"

gekennzeichnet werden.

Wir weisen darauf hin, daß diese Freigabe nach 36 Monaten erlischt. Die Erfüllung der zu diesem Zeitpunkt gültigen VW-Norm ist dann erneut nachzuweisen.

Die Gebühr für diese Freigabe beträgt € 3.000,-.

Mit freundlichen Grüßen

i.V. 

Dr. Achmus



i.A.

Panzer

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49-53 61-9-0
TELEFAX +49-53 61-9-2 82 82
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUFSICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:
FERDINAND PIÉCH

VORSTAND:
MARTIN WINTERKORN –
VORSITZENDER

FRANCISCO J. GARCIA SANZ
JOCHEM HEIZMANN
CHRISTIAN KLINGLER
HÖRST NEUMANN
HANS DIETER PÖTSCH
RUPERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

VW 505 01

VOLKSWAGEN
AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

MOL-LUB Lubricant Production
Distribution and Service Ltd.
Herr András Péceli
Fő sreet 21

H-2931 Almásfűzítő

DK410000/K-233/2010
26.05.2010
SK 1437-pa-ca
9-73432
9-78095

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

15.06.2010 DATUM

Motoröl

Sehr geehrter Herr Péceli,

die Untersuchungen des Motorenöls

MOL Dynamic Prima SAE 5W-40

haben ergeben, daß das genannte Produkt sowohl die Anforderungen unserer VW-Norm 502 00, VW Norm 505 00 als auch der VW-Norm 505 01 erfüllt. Es ist damit für die Verwendung in unseren Otto- und Dieselmotoren einschließlich der Motoren mit Abgasturbolader gemäß den Angaben in den Betriebsanleitungen unserer Produkte geeignet.

Damit auch für Kunden und Werkstätten die Freigabe ersichtlich ist, sollten die Gebinde mit dem Vermerk

"freigegeben nach VW-Norm 502 00, VW-Norm 505 00 und VW-Norm 505 01"

gekennzeichnet werden.

Wir weisen darauf hin, daß diese Freigabe nach 36 Monaten erlischt. Die Erfüllung der zu diesem Zeitpunkt gültigen VW-Norm ist dann erneut nachzuweisen.

Die Gebühr für diese Freigabe beträgt € 3.000,-.

Mit freundlichen Grüßen

i.V. 

Dr. Achmus



i.A.

Panzer

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49-53 61-9-0
TELEFAX +49-53 61-9-2 82 82
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUFSICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:
FERDINAND PIÉCH

VORSTAND:
MARTIN WINTERKORN –
VORSITZENDER

FRANCISCO J. GARCIA SANZ
JOCHEM HEIZMANN
CHRISTIAN KLINGLER
HÖRST NEUMANN
HANS DIETER PÖTSCH
RUPERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

MOL Dynamic Prima 5W-40 synthetic motor oil

MB-Approval 229.51

164.

DAIMLERCHRYSLER

DaimlerChrysler AG - 70546 Stuttgart

MOL-LUB Ltd.
 Attn. Mr. Peter Heiman
 Fö Str. 21
 2931 ALMÁS-FÜZITŐ
 HUNGARY

Ihre Zeichen, Ihre Nachricht vom Your reference	Unser Zeichen, unsere Nachricht vom Our reference	Telefon / Phone +49 (0)7 11 17-	Telefax / Fax +49 (0)7 11 17-	Hauspost-Code Internal Code
13.06.2007	EP/MOR F 10837	24801	59756	C401
		Name		Datum / Date
		Mrs Fuchs		02.10.2007

Approval Certificate

Approval for Engine Oil "MOL Dynamic Prima 5W40"

MB-BeVo-Sheet 229.51, Oil-Code: SAE-Grade: 5W-40
 New Approval - Reblend

Dear Sir or Madam,

The operating fluid shown above complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 223.2. Our other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by DaimlerChrysler AG at any given moment. We will advise the address.

Sincerely
 DaimlerChrysler AG

i.v. Fick
 Fick

i.v. Schnöpke
 Schnöpke

10837 /

8209900 00 0003100 5

DaimlerChrysler, Stuttgart (D) und/and Auburn Hills (USA)
 Sitz und Registergericht / Domicile and Court of Registry: Stuttgart, HRB-Nr. / Commercial Register No.: 19 360
 Vorsitzender des Aufsichtsrates / Chairman of the Supervisory Board: Manfred Bischoff
 Vorstand / Board of Management: Dieter Zetsche, Vorsitzender / Chairman;
 Günther Fleig, Rüdiger Grube, Thomas W. LaSorda, Andreas Renschler,
 Eric R. Ridenour, Thomas W. Sidlik, Bodo Uebber, Thomas Weber

DaimlerChrysler AG
 70546 Stuttgart
 Telefon / Phone + 49 (0)7 11 17- 0
 Telefax / Fax + 49 (0)7 11 17- 2 22 44
 dialog@daimlerchrysler.com
 www.daimlerchrysler.com

BMW Longlife-04

160.

BMW Group

BMW AG, 80788 München

MOL-LUB Lubricant Production,
Distribution and Service Ltd.
Attn. Mr. P. Heiman
21, Fö Street
2931 ALMASFÜZITÖ
UNGARN

Your reference
Your message dated 11.06.2007
Department/From EA-300 / Wolfgang Kohlhepp
Telephone +49-89-382-34669
Fax
E-mail wolfgang.kohlhepp@bmw.de
Date 25.09.2007
Subject **BMW approval for "MOL Dynamic Prima"**

Dear Mr. Heiman.

Herewith we transfer the approval as "BMW Longlife-04" oil, given for the engine oil code "IME 0603937-A" to your reblend product "MOL Dynamic Prima", SAE 5W-40. Consequently it is approved according to our approval procedure (5th Issue June 2006) for the usage in BMW engines operating in compliance with our operating fluids manual.

This confirmation is valid for two years beginning with the date of this letter. Prolongations for additional two years have to be requested in good time.

Engine oils produced using the code or brand names mentioned in this letter of confirmation have to comply with the tested oil sample in every respect. Any proposed alteration or modification to the lubricant is to be supplied in writing to the BMW departments "Entwicklung Antrieb" and "Sparte Labor" whereby a new approval may be granted.

Publication will ensue in the BMW Operating Fluids Manual as follows:

designation:	viscosity:	company:
MOL Dynamic Prima	SAE 5W-40	MOL-LUB Lubricant Ltd.

Yours sincerely
Bayerische Motoren Werke Aktiengesellschaft

i.V.

Hall

i.A.

Kohlhepp

Company
Bayerische
Motoren Werke
Aktiengesellschaft

Postal address
BMW AG
80788 München

Office address
Petueling 130

Office address
Forschungs- und
Innovationszentrum (FIZ)
Knorrstraße 147

Telephone
Switchboard
+49 89 382-0

Fax
+49 89 382-25858

Internet
www.bmwgroup.com

Bank details
BMW Bank GmbH
Account No.
5 100 940 940
Bank Code
702 203 00

IBAN DE02 7022 0300
5100 9409 40

SWIFT (BIC)
BMWDE33

**Chairman of
Supervisory Board**
Joachim Milberg

Board of Management
Norbert Reithofer
Chairman of the Board
Frank-Peter Aardt
Ernst Baumann
Klaus Draeger
Michael Ganai
Stefan Krause

Registered in Germany
München HRB 42243



MOL Dynamic Prima 5W-40 synthetic motor oil

Porsche A40



PORSCHE

Dr. Ing. h.c. F. Porsche Aktiengesellschaft - Postfach 1140 - D-71283 Weissach

MOL-LUB Ltd.,
Attn.: Mr. András Péceli
Fő út 21
2931 ALMÁSFÜZÍTŐ
HUNGARY

Dr. Ing. h.c. F. Porsche
Aktiengesellschaft
Porschestraße
D - 71287 Weissach
Tel. +49 (0) 7 11 / 9 11 - 843 10
Telefax +49 (0) 7 11 / 9 11 - 821 47
Email hans-peter.deeg@porsche.de

Our reference
EAV / DG/S

Date
April 7, 2010

Motor Oil Approval (988/84-050)

Porsche Reference No.	2010/03/712
Oil company	MOL-LUB Ltd.
Oil product name	MOL Dynamic Prima 5W-40
SAE viscosity	5W-40
Oil code	
Start of approval	March 8, 2010
End of approval	March 8, 2013
Marketing area	EU, RU, SCG, CRO, UA, BG

Dear Mr. Péceli,

Based on the information given by your company and our analysis, PORSCHE is giving its approval according to the **Porsche oil category A40** (currently valid for all PORSCHE cars as of model year 1994, except Cayenne V6 for longdrain and Cayenne Diesel) to your motor oil

MOL Dynamic Prima 5W-40
Oil code:

We will include your motor oil in the next issue of our "Technical Information Motor Oil".
This approval will expire on March 8, 2013, if no extension is requested before in good time.


This approval will expire before the end of the above mentioned period:


- if the approved formulation is changed
- if negative field results are recorded
- for any reason if Porsche deems it necessary

You may inform your customers about this approval (Porsche A40) in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers specifications. Any further reference to Porsche or the use of the crest and logotype of Porsche is strictly prohibited.

Yours sincerely,

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Advanced Engineering Powertrain Dept.


i. V. Dr. L. Spiegel


H.-P. Deeg / EAV

cc: PEG-S Mr. Klose / VAT

F.G.2004-09.12

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Headquarters: Stuttgart
Registered at:
Stuttgart Regional Court HRB-Nr. 730623

Chairman of the Supervisory Board:
Dr. Wolfgang Porsche
Honorary Chairman of the Supervisory Board:
Prof. Ferdinand Alexander Porsche

Board: Michael Macht, Chairman
Thomas Edig, Vice Chairman
Klaus Bering, Wolfgang Dürheimer,
Wolfgang Leimgruber, Lutz Meschke

MOL Dynamic Prima 5W-40 synthetic motor oil

Renault RN0700



CHANGEONS DE VIE
CHANGEONS L'AUTOMOBILE

DREAM / DIMat / Service 68150 / TCR LAB 1 52
Technocentre – 1, avenue du Golf
78288 Guyancourt Cedex

Téléphone : +33 (0)1 76 85 87 38
Fax : +33 (0)1 76 89 08 41
gerard.liraut@renault.com

TECHNOCENTRE
ETABLISSEMENT DE GUYANCOURT
API : FR TCR LAB 2 50
Grégory ALEXANDRE

Tél : 01 76 82 95 97

Réf. 68150-2012-11350

Le 24/01/2012

Andras Péceli

MOL Lub KFT

**H-2931 Almasfuzito Fo.u.21
HUNGARY**

Objet : Renault RN Certification – MOL – RN0700/RN0710 & RN0720 approvals.

Dear Mr Peceli,

I am pleased to send you the Renault certificates. Here you can find some details about your RN after sale engine oils :

- "Mol Dynamic Prima 5w-40" **RN0700-09-25**
- "Mol Dynamic Prima 5w-40" **RN0710-09-20**
- "Mol Dynamic Synt RN 5w-30" **RN0720-09-06**

The certification is effective for 5 years (until 24/01/2017).

Thank you for your cooperation.

Kind regards,

Gérard LIRAUT
Chef de Service
« Matériaux polymères et fluides »

PJ : 3 Certificates.

PROPRIETE RENAULT CONFIDENTIEL



MOL Dynamic Prima 5W-40 synthetic motor oil

Renault RN0710



CHANGEONS DE VIE
CHANGEONS L'AUTOMOBILE

DREAM / DIMat / Service 68150 / TCR LAB 1 52
Technocentre – 1, avenue du Golf
78288 Guyancourt Cedex

Téléphone : +33 (0)1 76 85 87 38
Fax : +33 (0)1 76 89 08 41
gerard.liraut@renault.com

TECHNOCENTRE
ETABLISSEMENT DE GUYANCOURT
API : FR TCR LAB 2 50
Grégory ALEXANDRE

Tél : 01 76 82 95 97

Réf. 68150-2012-11350

Le 24/01/2012

Andras Péceli

MOL Lub KFT

**H-2931 Almasfuzito Fo.u.21
HUNGARY**

Objet : Renault RN Certification – MOL – RN0700/RN0710 & RN0720 approvals.

Dear Mr Peceli,

I am pleased to send you the Renault certificates. Here you can find some details about your RN after sale engine oils :

- "Mol Dynamic Prima 5w-40" **RN0700-09-25**
- "Mol Dynamic Prima 5w-40" **RN0710-09-20**
- "Mol Dynamic Synt RN 5w-30" **RN0720-09-06**

The certification is effective for 5 years (until 24/01/2017).

Thank you for your cooperation.

Kind regards,

Gérard LIRAUT
Chef de Service
« Matériaux polymères et fluides »

PJ : 3 Certificates.

PROPRIETE RENAULT CONFIDENTIEL

